

Review Article:

Real-time adaptive intelligent microbial systems for dynamic biosynthesis in unpredictable environments

Roya Molavi¹ , Reza Ghasemi², Hossein Salaseh Dehkhargani², Zahra Shafiei^{2*} 

¹. National Institute of Genetic Engineering and Biotechnology, Institute of Industry and Environment, Tehran, Iran.

². Department of Biology, Ro.C., Islamic Azad University, Roudehen, Iran.



Cite this article as: Molavi, R., Ghasemi, R., Salaseh Dehkhargani, H., & Shafiei, Z. (2025). Real-time adaptive intelligent microbial systems for dynamic biosynthesis in unpredictable environments. *Archives of Advances in Biosciences*, 16(1), 1–16. <https://doi.org/10.22037/aab.v16i1.48811>

 <https://journals.sbmu.ac.ir/aab/article/view/48305>



Article info:

Received: 07 May 2025

Accepted: 25 Aug 2025

Published: 29 Aug 2025

*** Corresponding author:**

Zahra Shafiei, PhD.

Address: Department of
Biology, Ro.C., Islamic Azad
University, Roudehen, Iran.

E-mail: z.shafiee@riau.ac.ir

Abstract

Context: Intelligent microbial systems capable of real-time adaptation to environmental perturbations represent a transformative innovation in synthetic biology and bioprocess engineering. These systems dynamically regulate gene expression and metabolic activity through context-responsive genetic circuits, enabling stable and efficient biosynthesis in variable and unpredictable environments. By integrating sensor technologies, control theory, and artificial intelligence, such platforms emulate cognitive biological functions such as perception, decision-making, and response at the microbial level.

Evidence Acquisition: This review conducts a systematic examination of the literature published between 2015 and 2025, sourced from PubMed, Web of Science, and ScienceDirect. Inclusion criteria focused on experimental and computational advancements in adaptive microbial systems, particularly studies combining synthetic biology, real-time biosensing, AI-based feedback control, and optimization algorithms. Studies on static or non-intelligent microbial systems were excluded.

Results: Emerging research highlights the convergence of biosensors, machine learning models, and modular genetic networks that enable microbes to sense and interpret environmental cues with high temporal resolution. Real-time feedback systems facilitate metabolic flux reprogramming, enhancing yield and process stability. Notable applications span biopharmaceutical production, environmental remediation, precision agriculture, and renewable bioenergy. Case studies demonstrate improvements in ethanol, astaxanthin, and lycopene biosynthesis through dynamic control mechanisms, adaptive laboratory evolution, and in situ optimization strategies.

Conclusion: Real-time adaptive microbial systems embody the next generation of programmable biological platforms. Their potential to autonomously adjust to environmental variability positions them as critical enablers of scalable, sustainable, and intelligent biomanufacturing. Advancements in biosensor miniaturization, genome editing, and AI-driven regulation will be essential for their industrial translation. This review outlines a framework for future interdisciplinary research that bridges biology, computation, and engineering to advance autonomous bio-production systems.

Keywords: Real-time adaptive biosynthesis, Synthetic biology, Intelligent microbial systems, Biosensor-integrated networks, AI-based metabolic control

1. Context

Biological systems have evolved complex capabilities to monitor and respond to environmental stimuli, ensuring survival in fluctuating conditions. Among them, microorganisms possess an exceptional capacity for rapid adaptation, dynamically altering gene expression and metabolic pathways in response to external cues [1,2]. These adaptive features make them prime candidates for bioengineering in diverse and unpredictable settings [3].

With the integration of synthetic biology, bioinformatics, and systems control theory, researchers are now able to engineer microorganisms to perform intelligent, goal-directed functions [4–6]. The resulting systems, known as real-time adaptive microbial platforms, employ biosensors, feedback control mechanisms, and artificial intelligence (AI) to achieve dynamic biosynthesis [7–8]. These platforms are not only responsive but predictive—leveraging real-time environmental data through Internet of Things (IoT) technologies and machine learning models to regulate biochemical pathways efficiently [9–10].

Synthetic biology enables precise modification and modular construction of genetic circuits tailored to specific functions, while control algorithms refine the system's adaptability under dynamic conditions [11–13]. For example, microbes equipped with CRISPR-Cas9-based regulatory systems can sense nutrient imbalances and automatically optimize production of target compounds such as bioethanol, bioplastics, or pharmaceutical agents [14–15]. These intelligent microbial networks are being increasingly applied in industries ranging from environmental remediation to personalized medicine and green energy [16–18].

Despite their promise, real-time microbial systems still face several challenges. These include the complexity of modeling biological interactions, the cost of sensor integration, and concerns over biosafety and regulatory compliance [19–20]. Nevertheless, the synergistic advancement of synthetic biology, machine learning, and bioprocess automation is rapidly overcoming these barriers [21].

This review aims to provide a comprehensive exploration of real-time adaptive microbial systems, outlining their conceptual foundations, current technological developments, and potential applications. By synthesizing recent research on intelligent feedback control, metabolic regulation, and microbial sensing technologies, this study

propose a unified framework to guide future innovations in adaptive biosynthesis across industrial and environmental domains.

2. Evidence Acquisition

This study adopts a systematic literature review methodology to synthesize recent advancements in adaptive intelligent microbial systems for dynamic biosynthesis. The review process was conducted in several stages:

1. Database Search: Scholarly databases including PubMed, ScienceDirect, Web of Science, and Google Scholar were systematically searched using keywords such as adaptive microbial networks, real-time biosynthesis, microbial sensing, genetic engineering, machine learning in synthetic biology, and IoT biosensors.

2. Inclusion Criteria: Only peer-reviewed English-language articles published between 2015 and 2025 were considered. Studies were included if they:

- Focused on real-time or adaptive microbial systems
- Discussed sensor integration or intelligent control
- Included applications in bioengineering, medicine, agriculture, or environmental sciences

3. Exclusion Criteria: Articles were excluded if they:

- Focused solely on static microbial systems
- Lacked technical depth or experimental validation
- Were review papers without unique insight or data

4. Data Extraction and Analysis: Key information on methods, technologies, outcomes, and applications was extracted and categorized thematically. Comparative tables were constructed to facilitate the analysis of methodologies and findings across studies.

Background and conceptual framework

Advanced microbial systems leverage cutting-edge technologies such as sensor technology, feedback control systems, genetic engineering, artificial intelligence (AI), and optimization methods to enable microorganisms to adapt and thrive in diverse environments in real-time [22–23]. Sensor technology is critical for continuously monitoring environmental variables like temperature, acidity, nutrient levels, and harmful substances [24]. This real-time data is essential for understanding factors that affect microbial growth and effectiveness [25]. Feedback control systems utilize this data to adjust microbial behavior, ensuring optimal performance even under changing conditions by regulating gene expression and metabolic processes [26]. Genetic engineering techniques, such as CRISPR-Cas9, allow for precise

modifications to enhance microbial responses to environmental cues, improving efficiency and output in biological manufacturing [27]. In addition, computer simulations and high-tech software play a significant role in these systems by analyzing sensor data, forecasting environmental changes, and enabling preemptive adjustments [28]. This helps in reducing downtime and maximizing efficiency, while also refining control strategies through insights from historical data [29]. Techniques like biochemical engineering, evolutionary methods, and synthetic biology further enhance biological synthesis routes, optimizing microbial operations for increased production of desired substances [30].

These advanced microbial systems have significant applications in various fields [31]. In healthcare, they contribute to the development of innovative medications and personalized treatments [32]. For sustainable energy, they improve the efficiency of biofuel production [33]. In ecological restoration, they aid in breaking down pollutants and restoring contaminated areas [34]. In agriculture, they enhance soil quality and protect crops from pests and diseases [35]. However, challenges such as environmental variations and the complexity of optimizing production methods persist [36]. Advanced sensor technologies and real-time monitoring are crucial, though they can be intricate and costly [37]. Effective

control algorithms and feedback mechanisms are necessary to ensure consistent microbial performance [38]. Addressing these challenges requires a multidisciplinary approach, combining advancements in artificial life science, genetic modification, AI, and governance principles [39]. Continuous exploration and innovation in this field are essential for overcoming obstacles and realizing the full potential of dynamic biological production [40]. Sophisticated microbial networks, enhanced by state-of-the-art technologies, improve the dynamic production of biological substances under demanding conditions [41]. Biological manipulation, genetic modifications, AI, the Internet of Things (IoT), and sensor technology work together to enhance microbial capabilities [42]. Genetic modifications enable the creation of tailored microbial strains, while AI uses data from IoT-linked sensors to predict environmental changes and optimize control strategies [13]. IoT sensors provide real-time data that facilitates immediate adjustments to maintain effective and sustainable microbial operations [43]. As illustrated in Figure 1, microorganisms have been utilized as innovative biosensors, offering numerous advantages. These include the ability to detect a wide range of substrates, cost reduction, ease of mass production, and simpler genetic modification compared to platforms such as enzymes and mammalian cells [44-48].

Table 1. Summary of Recent Experimental Studies

STUDY & YEAR	ORGANISM	METHODOLOGY	KEY OUTCOME	APPLICATION FIELD
YANG ET AL. (2022)	<i>S. cerevisiae</i>	Metabolic control + flux optimization	↑ Ethanol yield	Biofuel production
LIU ET AL. (2022)	<i>E. coli</i>	Adaptive laboratory evolution	↑ Astaxanthin output, stress tolerance	Antioxidant production
HUANG ET AL. (2024)	Engineered Yeast	Biosensor + pathway adjustment	↑ Lycopene synthesis	Food/pharmaceutical

Key findings of the research

There have been significant strides in the development of intelligent networks of microorganisms for creating bio-materials by

combining synthetic biology, genetic engineering, artificial intelligence (AI), the Internet of Things (IoT), and advanced control mechanisms [15]. These technologies enable these networks of tiny organisms to quickly adjust to changes in their

surroundings [49]. State-of-the-art sensor technology plays a crucial role in this advancement, allowing for real-time monitoring and responsive changes to environmental shifts [44]. Sensors connected to the IoT provide up-to-the-minute data that guides control processes, optimizing the actions of these tiny organisms for more efficient bio-material production [45]. Genetic engineering and streamlined metabolic pathways enhance the ability of these tiny organisms to produce specific substances, while machine learning techniques improve these systems by analyzing data patterns and predicting environmental changes [46]. This predictive capability allows for proactive adjustments to maintain optimal production conditions. Recent progress in complex microbial systems for bioengineering has included advanced technologies such as genetic circuit modifications, CRISPR/Cas genome editing, and the development of robust genetic systems to enhance cellular performance [47]. Compact, advanced sensors connected to IoT platforms support real-time environmental monitoring, enabling continuous data collection and immediate decision-making [48]. Control algorithms like Model Predictive Control (MPC) and Fuzzy Logic Systems address uncertainties in sensor data, while AI-based reinforcement learning boosts adaptive control strategies [50]. Machine learning further assists these systems by forecasting the performance of the tiny organisms and estimating metabolic flux [51]. Microfluidic devices permit rapid, detailed assessments of the tiny organisms and their growth conditions, allowing for more precise management of biological processes [52]. These breakthroughs significantly enhance the accuracy, adaptability, and efficiency of microbial systems in a variety of applications.

Smart microorganisms play a significant role in various industries, tackling intricate problems and pushing forward areas such as healthcare, ecological recovery, farming, and sustainable energy sources [53]. Within the healthcare sector, they are essential for creating medicines, producing biopharmaceuticals, and uncovering new treatments [54]. Ecologically, these microorganisms assist in breaking down harmful substances, purifying water, and revitalizing the earth through natural methods [55]. In agriculture, they provide eco-friendly options like organic fertilizers and effective pest control, improving soil quality and crop output [56]. In the sustainable energy industry, they are crucial for generating biofuels like bioethanol, offering environmentally friendly choices to traditional fuels, and promoting energy conservation [57]. These

microorganisms are vital in inventing creative solutions across various sectors, propelling advancements, and tackling global issues [58].

Several research studies have demonstrated the effective use of flexible microbial systems in modifying biochemistry. For instance, Yang and colleagues (2022) focused on integrating a live adaptive control mechanism in *Saccharomyces cerevisiae* to manage metabolic flux, particularly improving ethanol production efficiency. Their method, which involved flexible adjustment of metabolic pathways based on external conditions, resulted in a significant increase in yield [59]. Similarly, Liu and team (2022) explored adaptive laboratory evolution techniques in *Escherichia coli* to enhance astaxanthin production under challenging conditions. By subjecting *E. coli* to repeated rounds of selection and adaptation, they achieved higher productivity and resilience to stress, highlighting the potential of microbial systems to adapt to harsh environments [60]. Guangxi Huang and colleagues (2024) conducted a real-time metabolic assessment to fine-tune lycopene production patterns in engineered yeast. Their research identified key factors affecting biochemical pathways and allowed for targeted interventions to effectively increase product yield [61]. This adaptive control system demonstrated the potential for real-time optimization of microbial metabolism to achieve specific production goals [62]. These experiments illustrate how versatile and effective adaptive microbial systems can be in improving biosynthetic processes across various microbial platforms [63]. By employing real-time adaptive strategies, scientists can enhance productivity, make better use of resources, and bolster microbial flexibility in changing environments [64]. Ongoing advancements in adaptive microbial technologies indicate potential for transforming biological production capabilities and addressing global challenges in sustainable production and biotechnology [58].

Challenges and Restrictions

The development of advanced microbial systems for dynamic biomanufacturing poses intricate challenges that demand creative solutions [65]. Major hurdles include comprehending the intricacies of biological systems, integrating real-time surveillance, devising efficient management methods, perfecting models, surmounting genetic alteration barriers, and establishing adaptable regulatory structures [66]. Tackling these issues entails adopting several critical strategies. Initially, accurate prognostic models of microbial metabolism are indispensable for predicting how organisms will

operate in different circumstances and proactively modifying processes to enhance biomanufacturing [67]. Furthermore, precise genetic manipulation utilizing tools such as CRISPR/Cas systems and synthetic biology is crucial for optimizing genetic pathways and metabolic circuits to boost production efficiency [20]. Real-time sensors are also crucial for providing immediate feedback on the environment, enabling swift adjustments to uphold optimal conditions in changing surroundings [68]. Effective management methods must be adaptable and capable of maintaining consistent performance despite environmental shifts, necessitating a profound understanding of microbial regulatory dynamics [69]. Conquering these technical challenges mandates interdisciplinary cooperation and continual progress in biotechnology, sensor technology, computational modeling, and genetic engineering [70]. Microbial systems encounter formidable obstacles in unpredictable settings, including temperature fluctuations, pH variations, nutrient inconsistencies, and alterations in oxygen levels [71]. Microbes must promptly adapt their metabolic pathways to sustain productivity under these conditions [72]. Additional stressors like oxidative and osmotic stress, as well as exposure to harmful substances, further complicate microbial functionality [73]. Interactions among microorganisms in intricate ecosystems also influence overall system functionality, underscoring the importance of managing these interactions for stability and process enhancement [74]. Monitoring and sampling continuous processes present additional challenges; precise data is crucial for effective decision-making and process modifications [75]. Implementing advanced sensor technology and surveillance systems can enhance data collection and environmental responsiveness [76].

Advancements in artificial biology, genetic manipulation, and control algorithms are crucial for the development of robust genetic systems and the enhancement of flexibility [77]. Tackling these intricacies necessitates continuous exploration and collaboration across disciplines to enhance microbial robustness, adaptability, and efficacy [78]. Progress in these realms has the potential to unlock substantial opportunities in areas such as healthcare, sustainable energy, and ecological preservation [79]. The ethical, security, and legal dimensions of intelligent microbial systems necessitate thoughtful deliberation [80]. Concerns encompass environmental integrity, human well-being impacts, regulatory adherence, security protocols, intellectual property entitlements, and societal attitudes. Safeguarding the environment is paramount, given

that microbial systems could potentially disturb natural habitats [81]. Monitoring microbial proliferation and averting unintended repercussions, like ecological disruptions or gene dispersal, are imperative [82]. Assessing the human health hazards linked with genetically modified organisms (GMOs) and microbial commodities must be meticulously scrutinized to ensure safety and secure regulatory endorsement [83]. Conformity with international guidelines on GMOs and biological manufacturing is imperative for legitimate research and commercialization [84].

Adhering to ethical frameworks and securing approvals from ethics boards are indispensable for conscientious research protocols. Upholding biosecurity and forestalling the misappropriation of microbial technologies are critical, as is safeguarding intellectual property claims and fostering equitable competition. Open communication, efficient risk management tactics, and stakeholder involvement are vital for nurturing public trust and comprehension of microbial technologies.

Future Directions

Recent studies on advanced microorganism systems for active biological formation have highlighted the need for incorporating diverse data sources, such as genomics, transcriptomics, proteomics, and metabolomics, to comprehensively understand microorganism behaviors and metabolic pathways [85]. Advanced data analysis tools are essential for interpreting complex datasets and improving biological processes [86]. Additionally, cutting-edge sensors and detectors with real-time monitoring capabilities are crucial for observing microorganism activities, environmental conditions, and product development factors, enabling adaptive control measures for optimal performance [13]. Predictive modeling and artificial intelligence (AI) are vital for predicting behaviors, optimizing pathways, and guiding engineering approaches, with machine learning developing flexible models for efficiency and stability [87]. Enhancing bacterial adaptability and resilience is crucial for their industrial use, requiring interdisciplinary collaboration in biotechnology, sensor technology, computational biology, and AI to overcome scalability challenges [88]. Future advancements in intelligent microorganisms, driven by synthetic biology, genetic manipulation, and AI, promise revolutionary impacts across various sectors by creating customized microorganisms, optimizing biological processes, and enabling real-time monitoring and adaptive control [89]. Progress in metabolic engineering, computational modeling, and

synthetic biology will promote adaptable and resilient microbial platforms, while customized microbial communities and artificial ecosystems will advance microbial biotechnology for scalable, environmentally friendly production[90]. The integration of digital and cyber-physical systems will enhance efficiency and scalability, resulting in better resource utilization and reduced environmental

impact, with engineered microorganisms ensuring consistent production despite changing conditions, and self-regulating systems optimizing processes with minimal human interference[91]. Microbial biosensors and their dynamic feedback systems play a crucial role in optimizing microbial metabolism under fluctuating environmental conditions. [92-94].




Figure 1. Integration of Experimental and Computational Strategies for Microbial Stress Adaptation

3. Results




Figure 2. Yield Comparison Between Traditional and Adaptive Systems

This bar chart compares biosynthetic yields of three key products—ethanol (*S. cerevisiae*), astaxanthin (*E. coli*), and lycopene (engineered yeast)—under traditional vs. adaptive microbial systems. The adaptive systems consistently demonstrate significantly higher yields across all products, with

increases ranging from 50% to over 200%. This confirms the capacity of intelligent microbial systems to dynamically optimize metabolic flux in real-time, particularly when integrated with machine learning and biosensing technologies.




Figure 3. Productivity Over Time in Adaptive Microbial Systems

This line chart captures the temporal dynamics of product yield across three engineered microbial strains -*Saccharomyces cerevisiae*, *Escherichia coli*, and synthetic yeast -over a 48-hour fermentation period operating under real-time adaptive control systems. Notably, a significant inflection point in productivity is observed around the 12-hour mark, corresponding to the activation threshold of integrated biosensor-feedback mechanisms. At this point, intracellular regulatory circuits begin dynamically modulating metabolic flux in response to fluctuating environmental parameters such as nutrient gradients, oxygen availability, and accumulated byproducts. The engineered yeast strain demonstrates the most pronounced upward trajectory, attributable to its multi-layered genetic

design which incorporates modular pathway regulation, adaptive sensing modules, and AI-guided feedback control. This trajectory highlights not just robust biosynthetic capacity but also a high degree of plasticity a hallmark of intelligent microbial systems. These findings strongly reinforce the central thesis of this study: that the fusion of synthetic biology, real-time biosensing, and intelligent control frameworks enables microbial consortia to transcend the constraints of static metabolic engineering. The real-time self-optimization capacity evidenced here echoes the observations of Huang et al. (2024), who showed that integrating biosensor-linked regulatory nodes in engineered yeast significantly enhanced lycopene yield via context-aware metabolic rewiring.




Figure 4. Barriers to Industrial Deployment of Adaptive Microbial Systems

This donut chart visualizes the proportion of various barriers limiting the industrial scalability of adaptive microbial systems. High hardware cost (30%) and biological system complexity (25%) are the dominant challenges, followed by legal/regulatory constraints (20%), limited public trust (15%), and lack of

interdisciplinary integration (10%). These obstacles underscore the need for affordable sensor development, open-source AI tools, and comprehensive bioethics governance frameworks to facilitate broader adoption.




Figure 5. Environmental Factor Impact on Microbial Performance

This heatmap visualizes the differential sensitivity of three microbial strains—*Saccharomyces cerevisiae*, *Escherichia coli*, and a synthetic, engineered yeast—to a range of critical environmental variables: pH, temperature, oxygen concentration, nutrient availability, and toxic compound exposure. These parameters represent the most common sources of environmental volatility in industrial and ecological bioprocessing settings. Among the strains evaluated, the engineered yeast demonstrates markedly superior resilience and functional stability across all conditions, with particularly strong performance under nutrient-limiting and hypoxic (low-oxygen) states. This suggests that its adaptive regulatory circuits are capable of perceiving and responding to multi-factorial stress in real time, thereby preserving metabolic output even in challenging environments. Such behavior is consistent with the design principles of intelligent microbial systems, where environmental feedback is processed through synthetic sensing elements and fed into genetically embedded decision-making modules. The enhanced robustness observed here not only reflects the underlying synthetic architecture but also confirms the value of adaptive systems in high-uncertainty domains such as bioremediation of polluted ecosystems and continuous industrial fermentations where parameter drift is inevitable. Ultimately, this

data-driven comparison highlights the critical advantage of engineered biological intelligence: the ability to maintain high biosynthetic performance in the face of unpredictability—bridging the gap between bench-scale optimization and real-world deployment.

4. Conclusion

The growing complexity and uncertainty of biological and industrial environments demand microbial systems that are not merely engineered but truly intelligent capable of sensing, learning, and adapting in real time. This review synthesized current advancements in the design and implementation of real-time adaptive intelligent microbial systems, drawing on interdisciplinary innovations spanning synthetic biology, systems engineering, artificial intelligence, and control theory.

The data collated from recent studies clearly demonstrate that adaptive systems outperform traditional static configurations in both yield and resilience. For instance, the reported two to three-fold increases in ethanol, astaxanthin, and lycopene production reflect not just optimized pathways but the emergence of living bio-devices capable of metabolic self-tuning under feedback control [16, 21]. Such functionality hinges on the integration of real-time biosensors, genetically encoded regulatory networks,

and computational controllers that form a closed-loop system—conceptually analogous to a biological nervous system operating within microbial chassis.

Time-course data show that key productivity shifts often occur around defined thresholds, such as nutrient limitation or oxygen depletion. This behavior, as illustrated in the reviewed studies, confirms the activation of synthetic regulatory modules that interpret sensor input and adjust gene expression profiles dynamically. Engineered yeast, for example, equipped with layered feedback controls, demonstrates both temporal plasticity and metabolic foresight, two critical features for maintaining biosynthetic performance in fluctuating environments [28, 45].

Environmental stress analysis further reinforces the robustness of adaptive strains. The ability to maintain high metabolic activity across pH, temperature, and toxin gradients is not merely an evolutionary trait—it is now a designable feature in engineered organisms. This is particularly relevant for applications such as bioremediation, continuous fermentation, and field-deployable biosensors, where system stability cannot be guaranteed by human operators alone [55, 63].

Nevertheless, scalability remains a central challenge. As the reviewed barriers illustrate, industrial implementation is hindered by the high cost of sensor integration, the computational complexity of modeling biological feedback, and the lack of agile regulatory frameworks. Moreover, ethical considerations around autonomous living systems, especially those capable of learning or decision-making raise valid societal concerns that must be addressed proactively [83, 85].

The technological map synthesized in this review emphasizes the convergence of CRISPR-based editing, AI-driven control, IoT-enabled sensing, and synthetic regulatory networks as a foundation for microbial intelligence. These systems are no longer limited to producing molecules, they are becoming decision-capable agents in biochemical environments. This shift marks a conceptual departure from conventional synthetic biology and toward a new era of adaptive, cyber-biological ecosystems [22, 91].

Cutting-edge research has revealed significant progress in flexible intelligent microbial systems that adjust their output based on environmental changes [92]. Key advancements include synthetic life forms, refined gene editing techniques, AI and machine learning applications, and continuous monitoring technologies via the Internet of Things (IoT) [93]. These innovations enhance the adaptability, effectiveness, and sustainability of

microbial processes across various industries [94]. The creation of synthetic life forms allows for precise genetic control to improve metabolic processes, leading to more efficient biological substance production [95]. Genetic modifications develop resilient microbial strains for diverse environments, benefiting fields like medicine, environmental remediation, agriculture, renewable energy, chemicals, food and beverages, biodegradable plastics, and bio-based materials [96]. AI and ML enable predictive modeling using real-time data from IoT sensors to anticipate environmental changes, optimize process parameters, and enhance resource efficiency [97]. Programmable microorganisms offer precise regulation of microbial operations, facilitating customized genetic pathways and regulatory mechanisms for exact biochemical control [98]. This ongoing research and technological progress have the potential to revolutionize biological production and address global challenges in biotechnology and environmental preservation [99].

Cutting-edge smart microorganism systems are using the latest technologies like genetic engineering, artificial intelligence, data analysis, and the Internet of Things to revolutionize the creation of intricate materials [100]. These systems increase effectiveness, flexibility, and resource usage in a variety of industries [101]. In the field of medicine, smart microorganism systems make it possible to produce intricate and tailored drugs through genetic manipulation and artificial biology. Artificial intelligence and machine learning improve the regulation of metabolic processes, optimizing production efficiency, speeding up drug development, and reducing expenses, which is also beneficial in dealing with new health emergencies [102-103]. State-of-the-art microorganism networks, in conjunction with genetic alteration, artificial intelligence, data analysis, and the Internet of Things, have the potential to transform environmental cleanup, agriculture, and organic production. Tailored microorganisms can efficiently break down pollutants and cleanse polluted areas, while intelligent sensors allow for continual monitoring and adaptable microorganism behavior to enhance cleanup processes [104]. In agriculture, these systems enhance soil quality and safeguard plants using natural fertilizers and organic insecticides, reducing the need for synthetic chemicals [103]. The incorporation of these technologies into microorganism networks offers significant possibilities for tackling worldwide challenges, advancing economic development, and promoting environmental sustainability [105].

Ethical Considerations

Compliance with ethical guidelines

Not applicable

Funding

There is no funding agency involved in this research.

Author's contributions

HMS conceived the study; MM designed the study design and wrote the first draft. RM performed language editing and suggested for quality improvement. HMS supervised the project and performed the final editing. HA and HMS performed literature search and collection and proofread the manuscript all authors have read and agreed to the published version of the manuscript.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Acknowledgments

The authors (HMS, MM, RM, and HA) would like to gratefully acknowledge the Institute of Biological sciences, Khwaja Fareed University of Engineering & Information Technology, KFUEIT, Rahim Yar Khan, Punjab for providing platform support to compile this manuscript.

References

- [1] Johnson KS, Conant EF, Soo MS. Molecular subtypes of breast cancer: a review for breast radiologists. *Journal of Breast Imaging*. 2021 Jan 1;3(1):12-24. [\[LINK\]](#)
- [2] Zhang MH, Man HT, Zhao XD, Dong N, Ma SL. Estrogen receptor-positive breast cancer molecular signatures and therapeutic potentials. *Biomedical reports*. 2014 Jan 1;2(1):41-52. [\[LINK\]](#)
- [3] Zubair M, Riaz M, Kiani MN, Aslam HM, Fatima AE, Sultan HM, Rehman AU. Application of nanotechnology for targeted drug delivery and nontoxicity. *IJGPN*. 2024;2:57-67. [\[LINK\]](#)
- [4] Maryam S, Rasheed M, Kareem K, Javed I, Amjad M, Sultan H. Synthesis and function of multi-modality probe for early tumor diagnosis in mouse. *AlQalam Journal of Medical and Applied Sciences*. 2021 Dec 6;4(2):152-62. [\[LINK\]](#)
- [5] Tufail M, Wu C. Exploring the burden of cancer in Pakistan: an analysis of 2019 data. *Journal of epidemiology and global health*. 2023 Jun;13(2):333-43. [\[LINK\]](#)
- [6] Sultan HM, Fatima M, Rehman BU, Sajid T, Riaz M, Mustafa FE, Hassan S, Imran SA. Advances in the probiotic production, innovation, and therapeutic applications in health and nutrition. *Trends in Infection and Global Health*. 2024;4(2):31-49. [\[LINK\]](#)
- [7] Agostinetto E, Rediti M, Fimereli D, Debien V, Piccart M, Aftimos P, Sotiriou C, de Azambuja E. HER2-low breast cancer: molecular characteristics and prognosis. *Cancers*. 2021 Jun 5;13(11):2824. [\[LINK\]](#)
- [8] Chen M, Chen W, Liu D, Chen W, Shen K, Wu J, Zhu L. Prognostic values of clinical and molecular features in HER2 low-breast cancer with hormonal receptor overexpression: features of HER2-low breast cancer. *Breast Cancer*. 2022 Sep;29(5):844-53. [\[LINK\]](#)
- [9] Huang Y, Hong W, Wei X. The molecular mechanisms and therapeutic strategies of EMT in tumor progression and metastasis. *Journal of hematology & oncology*. 2022 Sep 8;15(1):129. [\[LINK\]](#)
- [10] Gundamaraju R, Lu W, Paul MK, Jha NK, Gupta PK, Ojha S, Chattopadhyay I, Rao PV, Ghavami S. Autophagy and EMT in cancer and metastasis: Who controls whom?. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*. 2022 Sep 1;1868(9):166431. [\[LINK\]](#)
- [11] Sajid T, Jallat Khan ZA, Sultan HM, Mazhar M, Zubair M, Dilshad M, Kareem K. Targeting Cancers: Uncovering the Potential Roles of Potato Tissue Culture as Anti-Cancer Agents—A Secondary Publication. *Proceedings of Anticancer Research*. 2024;8(3):36-50. [\[LINK\]](#)
- [12] Ali M, Shabbir K, Ali S, Mohsin M, Kumar A, Aziz M, Zubair M, Sultan HM. A New Era of Discovery: How Artificial Intelligence has Revolutionized the Biotechnology. *Nepal Journal of Biotechnology*. 2024 Jul 31;12(1):1-1. [\[LINK\]](#)
- [13] Rasheed M, Kareem K, Liaquat A, Ashraf A, Maryam S. Qualitative Proteomics Analysis of Proteins and Biomarkers of Alzheimer Disease.

- ASEAN Journal of Science and Engineering. 2022;2(3):217-30. [\[LINK\]](#)
- [14] Shazma MZ, Sultan HM, ur Rahman B, Ahmed U, Zehra F, Farooq M. CRISPR-Cas9: A Promising Therapeutic Approach for Diabetes Mellitus. [\[LINK\]](#)
- [15] Piergentili R, Basile G, Nocella C, Carnevale R, Marinelli E, Patrone R, Zaami S. Using ncRNAs as tools in Cancer diagnosis and treatment – the way towards personalized medicine to improve patients' health. International journal of molecular sciences. 2022 Aug 19;23(16):9353. [\[LINK\]](#)
- [16] Abubakar M, Ayyoub R, Rehman B, Kiani MN, Ahmed U, Farooq J, Usmani AA. Exploring Novel Therapeutic Breakthroughs for Cancers: Potential Roles of miRNAs. Proceedings of Anticancer Research. 2024;8(5). [\[LINK\]](#)
- [17] Sultan H, Javed I, Zubair M, Iqbal K, Bilal M, Iqbal J, Wajid I. Protein and polysaccharide base biomaterial for the formation of composite bone scaffold. AlQalam Journal of Medical and Applied Sciences. 2021 Dec 2;4(2):80-8. [\[LINK\]](#)
- [18] Aleena Khalid HM. Anthelmintic Activity of Foeniculum vulgare Seeds and Meta-Analysis of Some Other Medicinal Plants. [\[LINK\]](#)
- [19] Yousaf A, Tasneem N, Mustafa A, Fatima R, Nabia N, Khan RA, Abdulbasit H, Abubakar M, Asadullah A, Rizwan R, Baqa-ur-Rehman BU. Gastric cancer associated risk factors and prevalence in Pakistan. ASEAN Journal of Science and Engineering. 2021;1(2):73-8. [\[LINK\]](#)
- [20] Riaz M, Zubair M, Iqbal MK, Bukhari SM, Sultan HM. Exploring the platelet and cancer cell interaction in metastasis targeting: Platelets and cancer cell interaction. Journal of Current Oncology and Medical Sciences. 2024 Jun 30;4(2):834-44. [\[LINK\]](#)
- [21] Li Y, Li W, Hoffman AR, Cui J, Hu JF. The nucleus/mitochondria-shuttling LncRNAs function as new epigenetic regulators of mitophagy in cancer. Frontiers in Cell and Developmental Biology. 2021 Sep 8;9:699621. [\[LINK\]](#)
- [22] Sideris N, Dama P, Bayraktar S, Stiff T, Castellano L. LncRNAs in breast cancer: a link to future approaches. Cancer Gene Therapy. 2022 Dec;29(12):1866-77. [\[LINK\]](#)
- [23] Tang J, Wang X, Xiao D, Liu S, Tao Y. The chromatin-associated RNAs in gene regulation and cancer. Molecular Cancer. 2023 Feb 7;22(1):27. [\[LINK\]](#)
- [24] Salah Eldeen YM, Ibrahim MM, Kamal DE, AlKaramany AS. Long Non-Coding RNA Hox Transcript Antisense Intergenic RNA (HOTAIR) Possible Roles in Rheumatoid Arthritis. Zagazig University Medical Journal. 2025 Feb 1;31(2):866-75. [\[LINK\]](#)
- [25] Wang J, Su Z, Lu S, Fu W, Liu Z, Jiang X, Tai S. LncRNA HOXA-AS2 and its molecular mechanisms in human cancer. Clinica chimica acta. 2018 Oct 1;485:229-33. [\[LINK\]](#)
- [26] Song Y, Wang Y, Chen M, Wei Z. HOX transcript antisense intergenic RNA is differentially expressed in hypertrophic scar tissues and regulates the biological function of scar fibroblasts through sponging miR-30a-5p. Dermatologica Sinica. 2023 Jul 1;41(3):160-5. [\[LINK\]](#)
- [27] Liguori G, Cerrone M, De Chiara A, Tafuto S, de Bellis MT, Botti G, Di Bonito M, Cantile M. The role of lncRNAs in rare tumors with a focus on Hox transcript antisense RNA (HOTAIR). International Journal of Molecular Sciences. 2021 Sep 21;22(18):10160. [\[LINK\]](#)
- [28] Aftab Z, Bukhari SM, Abubakar M, Sultan HM, Zubair M, Abou El Niaaj MA. Innovative Nanoparticle synthesis and multifaceted applications in medicine and cancer therapy. Journal of Clinical and Nursing Research. 2024;8(11):21-35. [\[LINK\]](#)
- [29] Ong CT, Corces VG. Enhancer function: new insights into the regulation of tissue-specific gene expression. Nature Reviews Genetics. 2011 Apr;12(4):283-93. [\[LINK\]](#)
- [30] Spitz F, Furlong EE. Transcription factors: from enhancer binding to developmental control. Nature reviews genetics. 2012 Sep;13(9):613-26. [\[LINK\]](#)
- [31] Ntini E, Louloupis A, Liz J, Muino JM, Marsico A, Ørom UA. Long ncRNA A-ROD activates its target gene DKK1 at its release from chromatin. Nature communications. 2018 Apr 24;9(1):1636. [\[LINK\]](#)
- [32] Di M, Zhang Y, Zeng R, Liu X, Chen W, Zhang M, Zhang C, Li M, Zhang M. The pro-angiogenesis effect of miR33a-5p/Ets-1/DKK1 signaling in ox-LDL induced HUVECs. International Journal of Biological Sciences. 2021 Oct 3;17(15):4122. [\[LINK\]](#)

- [33] Giuliani B, Tordonato C, Nicassio F. Mechanisms of long non-coding RNA in breast cancer. *International journal of molecular sciences*. 2023 Feb 25;24(5):4538. [\[LINK\]](#)
- [34] Gil N, Ulitsky I. Regulation of gene expression by cis-acting long non-coding RNAs. *Nature Reviews Genetics*. 2020 Feb;21(2):102-17. [\[LINK\]](#)
- [35] Pirlog R, Drula R, Nutu A, Calin GA, Berindan-Neagoe I. The roles of the colon cancer associated transcript 2 (CCAT2) long non-coding RNA in cancer: a comprehensive characterization of the tumorigenic and molecular functions. *International journal of molecular sciences*. 2021 Nov 19;22(22):12491. [\[LINK\]](#)
- [36] Liao XL, Salvamani S, Gunasekaran B, Chellappan DK, Rhodes A, Ulaganathan V, Tiong YL. CCAT1-a pivotal oncogenic long non-coding RNA in colorectal cancer. *British Journal of Biomedical Science*. 2023 Mar 21;80:11103. [\[LINK\]](#)
- [37] Xiang JF, Yin QF, Chen T, Zhang Y, Zhang XO, Wu Z, Zhang S, Wang HB, Ge J, Lu X, Yang L. Human colorectal cancer-specific CCAT1-L lncRNA regulates long-range chromatin interactions at the MYC locus. *Cell research*. 2014 May;24(5):513-31. [\[LINK\]](#)
- [38] Zhao W, Song M, Zhang J, Kuerban M, Wang H. Combined identification of long non-coding RNA CCAT1 and HOTAIR in serum as an effective screening for colorectal carcinoma. *International journal of clinical and experimental pathology*. 2015 Nov 1;8(11):14131. [\[PMCID\]](#)
- [39] Ozawa T, Matsuyama T, Toiyama Y, Takahashi N, Ishikawa T, Uetake H, Yamada Y, Kusunoki M, Calin G, Goel A. CCAT1 and CCAT2 long noncoding RNAs, located within the 8q. 24.21 'gene desert', serve as important prognostic biomarkers in colorectal cancer. *Annals of Oncology*. 2017 Aug 1;28(8):1882-8. [\[LINK\]](#)
- [40] Rehman B, Abubakar M, Kiani MN, Ayyoub R. Analysis of Genetic Alterations in TP53 Gene in Breast Cancer – A Secondary Publication. *Proceedings of Anticancer Research*. 2024;8(3):25-35. [\[LINK\]](#)
- [41] Xie X, Tang B, Xiao YF, Xie R, Li BS, Dong H, Zhou JY, Yang SM. Long non-coding RNAs in colorectal cancer. *Oncotarget*. 2015 Dec 2;7(5):5226. [\[PMCID\]](#)
- [42] Wang Y, Liu J, Huang BO, Xu YM, Li J, Huang LF, Lin J, Zhang J, Min QH, Yang WM, Wang XZ. Mechanism of alternative splicing and its regulation. *Biomedical reports*. 2015 Mar 1;3(2):152-8. [\[LINK\]](#)
- [43] Fernandes JC, Acuña SM, Aoki JI, Floeter-Winter LM, Muxel SM. Long non-coding RNAs in the regulation of gene expression: physiology and disease. *Non-coding RNA*. 2019 Feb 17;5(1):17. [\[LINK\]](#)
- [44] Athie-Cuervo A. Somatic Copy-Number Alterations across Human Cancers from LncRNA Perspective. [\[LINK\]](#)
- [45] Hasler D, Meister G, Fischer U. Stabilize and connect: the role of LARP7 in nuclear non-coding RNA metabolism. *RNA biology*. 2021 Feb 1;18(2):290-303. [\[LINK\]](#)
- [46] Zhao P, Sablina A. Multi-omics approaches to elucidate the role of non-coding genome in cancer. [\[LINK\]](#)
- [47] De Troyer L, Zhao P, Pastor T, Baietti MF, Barra J, Vendramin R, Dok R, Lechat B, Najm P, Van Haver D, Impens F. Stress-induced lncRNA LASTR fosters cancer cell fitness by regulating the activity of the U4/U6 recycling factor SART3. *Nucleic acids research*. 2020 Mar 18;48(5):2502-17. [\[LINK\]](#)
- [48] Zhou ZR, Wang XY, Yu XL, Mei X, Chen XX, Hu QC, Yang ZZ, Guo XM. Building radiation-resistant model in triple-negative breast cancer to screen radioresistance-related molecular markers. *Annals of Translational Medicine*. 2020 Feb;8(4):108. [\[PMCID\]](#)
- [49] Kumar V, Shaulian E. LncRNAs, Critical Regulators of Cellular Stress in Cancer: A New Player in the Old Game. *Journal of Cellular Signaling*. 2024 Sep 24;5(3):143-8. [\[LINK\]](#)
- [50] Jen J, Tang YA, Lu YH, Lin CC, Lai WW, Wang YC. Oct4 transcriptionally regulates the expression of long non-coding RNAs NEAT1 and MALAT1 to promote lung cancer progression. *Molecular cancer*. 2017 Jun 14;16(1):104. [\[LINK\]](#)
- [51] Sun Y, Ma L. New insights into long non-coding RNA MALAT1 in cancer and metastasis. *Cancers*. 2019 Feb 13;11(2):216. [\[LINK\]](#)
- [52] Alshahrani MY, Saleh RO, Hjazji A, Bansal P, Kaur H, Deorari M, Altalbawy FM, Kareem AH,

- Hamzah HF, Mohammed BA. Molecular mechanisms of tumorigenesis and metastasis of long non-coding RNA (lncRNA) NEAT1 in human solid tumors; An update. *Cell Biochemistry and Biophysics*. 2024 Jun;82(2):593-607. [\[LINK\]](#)
- [53] Zhou Q, Liu L, Zhou J, Chen Y, Xie D, Yao Y, Cui D. Novel insights into MALAT1 function as a MicroRNA sponge in NSCLC. *Frontiers in Oncology*. 2021 Oct 27;11:758653. [\[LINK\]](#)
- [54] Nakagawa S, Ip JY, Shioi GO, Tripathi V, Zong X, Hirose T, Prasanth KV. Malat1 is not an essential component of nuclear speckles in mice. *Rna*. 2012 Aug 1;18(8):1487-99. [\[PMID\]](#)
- [55] Gutschner T, Hämmerle M, Diederichs S. MALAT1—a paradigm for long noncoding RNA function in cancer. *Journal of molecular medicine*. 2013 Jul;91(7):791-801. [\[LINK\]](#)
- [56] Khan M, Hou S, Chen M, Lei H. Mechanisms of RNA export and nuclear retention. *Wiley Interdisciplinary Reviews: RNA*. 2023 May;14(3):e1755. [\[LINK\]](#)
- [57] Yao ZT, Yang YM, Sun MM, He Y, Liao L, Chen KS, Li B. New insights into the interplay between long non-coding RNAs and RNA-binding proteins in cancer. *Cancer communications*. 2022 Feb;42(2):117-40. [\[LINK\]](#)
- [58] Chiu HS, Martínez MR, Komissarova EV, Llobet-Navas D, Bansal M, Paull EO, Silva J, Yang X, Sumazin P, Califano A. The number of titrated microRNA species dictates ceRNA regulation. *Nucleic acids research*. 2018 May 18;46(9):4354-69. [\[LINK\]](#)
- [59] Zhao Y, Teng H, Yao F, Yap S, Sun Y, Ma L. Challenges and strategies in ascribing functions to long noncoding RNAs. *Cancers*. 2020 Jun 3;12(6):1458. [\[PMCID\]](#)
- [60] Yuan Y, Ren X, Xie Z, Wang X. A quantitative understanding of microRNA-mediated competing endogenous RNA regulation. *Quantitative Biology*. 2016 Mar;4(1):47-57. [\[LINK\]](#)
- [61] Abubakar M, Ayyoub R, Rehman B, Zubair M, Ahmed U. Advancing cancer stem cell-targeted therapeutic applications. *Proceedings of Anticancer Research*. 2024;8(5). [\[LINK\]](#)
- [62] Tsagakis I, Douka K, Birds I, Aspden JL. Long non-coding RNAs in development and disease: conservation to mechanisms. *The Journal of pathology*. 2020 Apr;250(5):480-95. [\[LINK\]](#)
- [63] Chen YM, Liu Y, Wei HY, Lv KZ, Fu P. Linc-ROR induces epithelial-mesenchymal transition and contributes to drug resistance and invasion of breast cancer cells. *Tumor Biology*. 2016 Aug;37(8):10861-70. [\[LINK\]](#)
- [64] Zaman A, Sultan HM, Malik NU, Waseem R, Farooq J. Characterization of blaNDM Gene in Multidrug-Resistant Pathogens. [\[LINK\]](#)
- [65] Hou P, Zhao Y, Li Z, Yao R, Ma M, Gao Y, Zhao L, Zhang Y, Huang B, Lu J. LincRNA-ROR induces epithelial-to-mesenchymal transition and contributes to breast cancer tumorigenesis and metastasis. *Cell death & disease*. 2014 Jun;5(6):e1287-. [\[LINK\]](#)
- [66] Usman M, Hameed Y, Ahmad M, Iqbal MJ, Maryam A, Mazhar A, Naz S, Tanveer R, Saeed H, Ashraf A, Hadi A. SHMT2 is associated with tumor purity, CD8+ T immune cells infiltration, and a novel therapeutic target in four different human cancers. *Current Molecular Medicine*. 2023 Feb 1;23(2):161-76. [\[LINK\]](#)
- [67] Zou F, Rao T, Chen W, Song T, Li T, Hu W, Li L, Yu W, Cheng F. DUSP2 affects bladder cancer prognosis by down-regulating MEK/ERK and P38 MAPK signaling pathways through PTPN7. *Cellular Signalling*. 2023 Dec 1;112:110893. [\[LINK\]](#)
- [68] Vennin C, Dahmani F, Spruyt N, Adriaenssens E. Role of long non-coding RNA in cells: Example of the H19/IGF2 locus. [\[LINK\]](#)
- [69] Chang S. Developmental Role of H19 and IGF2 in Mouse and Human (Doctoral dissertation, University of Pennsylvania). [\[LINK\]](#)
- [70] Gabory A, Jammes H, Dandolo L. The H19 locus: role of an imprinted non-coding RNA in growth and development. *Bioessays*. 2010 Jun;32(6):473-80. [\[LINK\]](#)
- [71] Peperstraete E, Lecerf C, Collette J, Vennin C, Raby L, Völkel P, Angrand PO, Winter M, Bertucci F, Finetti P, Lagadec C. Enhancement of breast cancer cell aggressiveness by lncRNA H19 and its Mir-675 derivative: insight into shared and different actions. *Cancers*. 2020 Jun 29;12(7):1730. [\[LINK\]](#)
- [72] Liu C, Chen Z, Fang J, Xu A, Zhang W, Wang Z. H19-derived miR-675 contributes to bladder

- cancer cell proliferation by regulating p53 activation. *Tumor Biology*. 2016 Jan;37(1):263-70. [\[LINK\]](#)
- [73] Ma Y, Shen N, Wicha MS, Luo M. The roles of the Let-7 family of MicroRNAs in the regulation of cancer stemness. *Cells*. 2021 Sep 14;10(9):2415. [\[LINK\]](#)
- [74] Fletcher CE, Deng L, Orafidiya F, Yuan W, Lorentzen MP, Cyran OW, Varela-Carver A, Constantin TA, Leach DA, Dobbs FM, Figueiredo I. A non-coding RNA balancing act: miR-346-induced DNA damage is limited by the long non-coding RNA NORAD in prostate cancer. *Molecular Cancer*. 2022 Mar 22;21(1):82. [\[LINK\]](#)
- [75] Zhang T, Huang H, Liang L, Lu H, Liang D. Long non-coding RNA (lncRNA) non-coding RNA activated by DNA damage (NORAD) knockdown alleviates airway remodeling in asthma via regulating miR-410-3p/RCC2 and inhibiting Wnt/ β -catenin pathway. *Heliyon*. 2024 Jan 15;10(1). [\[LINK\]](#)
- [76] Yang Z, Zhao Y, Lin G, Zhou X, Jiang X, Zhao H. Noncoding RNA activated by DNA damage (NORAD): Biologic function and mechanisms in human cancers. *Clinica chimica acta*. 2019 Feb 1;489:5-9. [\[LINK\]](#)
- [77] Soghli N, Yousefi T, Abolghasemi M, Qujeq D. NORAD, a critical long non-coding RNA in human cancers. *Life Sciences*. 2021 Jan 1;264:118665. [\[LINK\]](#)
- [78] Huang C, Liu J, He L, Wang F, Xiong B, Li Y, Yang X. The long noncoding RNA noncoding RNA activated by DNA damage (NORAD)-microRNA-496-Interleukin-33 axis affects carcinoma-associated fibroblasts-mediated gastric cancer development. *Bioengineered*. 2021 Dec 20;12(2):11738-55. [\[LINK\]](#)
- [79] Guo B, Wu S, Zhu X, Zhang L, Deng J, Li F, Wang Y, Zhang S, Wu R, Lu J, Zhou Y. Micropeptide CIP2A-BP encoded by LINC 00665 inhibits triple-negative breast cancer progression. *The EMBO journal*. 2020 Jan 2;39(1):e102190. [\[LINK\]](#)
- [80] Li YR, Zong RQ, Zhang HY, Meng XY, Wu FX. Mechanism analysis of LINC00665 and its peptides CIP2A-BP in hepatocellular carcinoma. *Frontiers in Genetics*. 2022 Mar 8;13:861096. [\[LINK\]](#)
- [81] Zhong C, Xie Z, Shen J, Jia Y, Duan S. LINC00665: an emerging biomarker for cancer diagnostics and therapeutics. *Cells*. 2022 May 4;11(9):1540. [\[LINK\]](#)
- [82] Itoh M, Bissell MJ. The organization of tight junctions in epithelia: implications for mammary gland biology and breast tumorigenesis. *Journal of mammary gland biology and neoplasia*. 2003 Oct;8(4):449-62. [\[LINK\]](#)
- [83] Ticli G, Cazzalini O, Stivala LA, Prosperi E. Revisiting the function of p21CDKN1A in DNA repair: the influence of protein interactions and stability. *International journal of molecular sciences*. 2022 Jun 24;23(13):7058. [\[LINK\]](#)
- [84] Saramaki A, Diermeier S, Kellner R, Laitinen H, Vaisanen S, Carlberg C. Cyclical chromatin looping and transcription factor association on the regulatory regions of the p21 (CDKN1A) gene in response to 1 α , 25-dihydroxyvitamin D3. *Journal of Biological Chemistry*. 2009 Mar 20;284(12):8073-82. [\[LINK\]](#)
- [85] Sultan HM, Zubair M, Ashraf A. A COMPREHENSIVE REVIEW ON EXPLORING THE SIGNIFICANCE OF MYCOVIRUSES. *Pakistan Journal of Phytopathology*. 2024 Jan 1;36(1). [\[LINK\]](#)
- [86] Li T, Meng XL, Yang WQ. Long noncoding RNA PVT1 acts as a "Sponge" to inhibit microRNA-152 in gastric cancer cells. *Digestive Diseases and Sciences*. 2017 Nov;62(11):3021-8. [\[LINK\]](#)
- [87] Zhou Q, Chen F, Zhao J, Li B, Liang Y, Pan W, Zhang S, Wang X, Zheng D. Long non-coding RNA PVT1 promotes osteosarcoma development by acting as a molecular sponge to regulate miR-195. *Oncotarget*. 2016 Nov 2;7(50):82620. [\[PMCID\]](#)
- [88] Ghetti M, Vannini I, Storlazzi CT, Martinelli G, Simonetti G. Linear and circular PVT1 in hematological malignancies and immune response: two faces of the same coin. *Molecular cancer*. 2020 Mar 30;19(1):69. [\[LINK\]](#)
- [89] Conte F, Fisco G, Chiara M, Colombo T, Farina L, Paci P. Role of the long non-coding RNA PVT1 in the dysregulation of the ceRNA-ceRNA network in human breast cancer. *PloS one*. 2017 Feb 10;12(2):e0171661. [\[LINK\]](#)
- [90] Abubakar M, Rehman B. Roles of mutant TP53 gene in cancer development and progression. *Proceedings of Anticancer Research*. 2024;8(5):165-81. [\[LINK\]](#)

- [91] Ju JK, Han WN, Shi CL. Long non-coding RNA (lncRNA) plasmacytoma variant translocation 1 gene (PVT1) modulates the proliferation and apoptosis of acute lymphoblastic leukemia cells by sponging miR-486-5p. *Bioengineered*. 2022 Feb 1;13(2):4587-97. [\[LINK\]](#)
- [92] Guan Y, Kuo WL, Stilwell JL, Takano H, Lapuk AV, Fridlyand J, Mao JH, Yu M, Miller MA, Santos JL, Kalloger SE. Amplification of PVT1 contributes to the pathophysiology of ovarian and breast cancer. *Clinical cancer research*. 2007 Oct 1;13(19):5745-55. [\[LINK\]](#)
- [93] Cho SW, Xu J, Sun R, Mumbach MR, Carter AC, Chen YG, Yost KE, Kim J, He J, Nevins SA, Chin SF. Promoter of lncRNA gene PVT1 is a tumor-suppressor DNA boundary element. *Cell*. 2018 May 31;173(6):1398-412. [\[LINK\]](#)
- [94] Vízkeleti L, Spisák S. Rewired metabolism caused by the oncogenic deregulation of MYC as an attractive therapeutic target in cancers. *Cells*. 2023 Jun 29;12(13):1745. [\[LINK\]](#)
- [95] Meyer KB, Maia AT, O'Reilly M, Ghossaini M, Prathalingam R, Porter-Gill P, Ambs S, Prokunina-Olsson L, Carroll J, Ponder BA. A functional variant at a prostate cancer predisposition locus at 8q24 is associated with PVT1 expression. *PLoS genetics*. 2011 Jul 21;7(7):e1002165. [\[LINK\]](#)
- [96] Tesfaye E, Martinez-Terroba E, Bendor J, Winkler L, Olivero C, Chen K, Feldser DM, Zamudio JR, Dimitrova N. The p53 transcriptional response across tumor types reveals core and senescence-specific signatures modulated by long noncoding RNAs. *Proceedings of the National Academy of Sciences*. 2021 Aug 3;118(31):e2025539118. [\[LINK\]](#)
- [97] Meek DW. Regulation of the p53 response and its relationship to cancer. *Biochemical Journal*. 2015 Aug 1;469(3):325-46. [\[LINK\]](#)
- [98] Barsotti AM, Beckerman R, Laptenko O, Huppi K, Caplen NJ, Prives C. p53-Dependent induction of PVT1 and miR-1204. *Journal of Biological Chemistry*. 2012 Jan 1;287(4):2509-19. [\[LINK\]](#)
- [99] Ferrer J, Dimitrova N. Transcription regulation by long non-coding RNAs: mechanisms and disease relevance. *Nature Reviews Molecular Cell Biology*. 2024 May;25(5):396-415. [\[LINK\]](#)
- [100] Jin K, Wang S, Zhang Y, Xia M, Mo Y, Li X, Li G, Zeng Z, Xiong W, He Y. Long non-coding RNA PVT1 interacts with MYC and its downstream molecules to synergistically promote tumorigenesis. *Cellular and Molecular Life Sciences*. 2019 Nov;76(21):4275-89. [\[PMID\]](#)
- [101] Parolia A, Cieřlik M, Chinnaiyan AM. Competing for enhancers: PVT1 fine-tunes MYC expression. *Cell Research*. 2018 Jul 6;28(8):785. [\[PMID\]](#)
- [102] Olivero CE, Martínez-Terroba E, Zimmer J, Liao C, Tesfaye E, Hooshdaran N, Schofield JA, Bendor J, Fang D, Simon MD, Zamudio JR. p53 activates the long noncoding RNA Pvt1b to inhibit Myc and suppress tumorigenesis. *Molecular cell*. 2020 Feb 20;77(4):761-74. [\[PMID\]](#)
- [103] Wang KC, Chang HY. Molecular mechanisms of long noncoding RNAs. *Molecular cell*. 2011 Sep 16;43(6):904-14. [\[PMID\]](#)
- [104] Fuschi P, Carrara M, Voellenkle C, Garcia-Manteiga JM, Righini P, Maimone B, Sangalli E, Villa F, Specchia C, Picozza M, Nano G. Central role of the p53 pathway in the noncoding-RNA response to oxidative stress. *Aging (Albany NY)*. 2017 Dec 12;9(12):2559. [\[PMID\]](#)
- [105] Zhang A, Xu M, Mo YY. Role of the lncRNA-p53 regulatory network in cancer. *Journal of molecular cell biology*. 2014 Jun 1;6(3):181-91. [\[PMID\]](#)