



Original Article

An Islamic Model for Taking Patients' Spiritual History

Nadereh Memaryan (MD)¹, Maryam Rasouli (PhD)², Zeinab Ghaempanah (PhD)³, Maryam Mehrabi (MA)⁴

¹ Spiritual Health Research Center, Mental Health Department, School of Behavioral Sciences and Mental Health (Tehran Institute of Psychiatry), Iran University of Medical Sciences, Tehran, Iran.

² Shahid Beheshti University of Medical Sciences, Tehran, Iran.

³ Spiritual Health Research Center, Iran University of Medical Sciences,

⁴ Department of Mental, Social Health, and Drug Abuse, Ministry of Health, Tehran, Iran.

ARTICLE INFORMATION

Article history:

Received: 25 June 2021

Revised: 26 July 2021

Accepted: 15 September 2021

Available online: 18 October 2021

Keywords:

Spirituality

Spiritual history

Patient

* Correspondence

Zeinab Ghaempanah (PhD)

Tel: +98 21 66551653

E-mail:

zeinab.ghaempana@gmail.com

ORCID ID: 0000-0002-8291-0811

ABSTRACT

Background and Aim: In recent years, the spiritual dimension of human nature has received ever-increasing attention for better healthcare. One way of responding to this issue is taking the patients' spiritual history in a healthcare setting. Spiritual history is a set of questions that can explore the spiritual experiences and beliefs of a patient with a simple interview. This study seeks to establish a new framework for obtaining spiritual history based on Islamic culture. The present study aimed to establish a new framework for obtaining the patients' spiritual history by using a qualitative approach.

Materials and Methods: For the qualitative study, first, the conceptual framework of spirituality was grounded by a team of experts. Then, a two-part questionnaire was developed based on the selected available tools and the Delphi method.

Ethical Considerations: The principles of ethics and integrity in the research, citation, and literature analysis were taken into consideration.

Findings: The 16 finalized questions were divided into two sections. In this regard, the first part was concerned about the beliefs, ethics, values, behaviors, and experiences related to spirituality, which can be used to derive the required spiritual information from all patients in any situation. The second part was developed based on the spiritual needs of the patients.

Conclusion: As the findings indicated, taking spiritual history can facilitate the establishment of a more intimate relationship between the patient and therapist. It is hoped that the utilization of this Islamic model can improve the patients' quality of life.

Cite this article as: Memaryan N, Rasouli M, Ghaempanah Z, Mehrabi M. An Islamic Model for Taking Patients' Spiritual History. *Bioeth Health Law J.* 2021; 1:1-8 (e23). <http://doi.org/10.22037/bhl.v1i1.38185>

Introduction

Spirituality and the practice of medicine have been intertwined throughout history (1). The great Iranian (Persian) physicians have addressed spirituality in traditional medicine and assisted to the literature related to this domain (2). In recent years, increasing attention has been given to the spiritual dimensions of human nature to deliver better care (3-4). According to the multiple studies recently conducted in the Western and also Islamic countries, the patients desire to satisfy their spiritual needs at desperate times and would like

their therapist to consider this (2, 5-8). However, this need is still ignored in most medical centers.

One way of responding to this desire is taking the patients' spiritual history in the healthcare settings (9). Based on the literature, taking spiritual history is considered an important practice in the treatment and care process (9-12). Spiritual history is a set of open-ended questions that entails the patient's beliefs and spiritual experiences and can be used to develop healthcare plans. These questions facilitate the identification of the patient's spiritual needs,

which results in the improvement of the mental situation and care plan.

In addition, this inquiry can lead to the establishment of a closer relationship between the patient and his/her therapist, which in turn can play an influential role in the process of healthcare decision-making. Moreover, these questions can act as a powerful intervention in the process of treatment in some cases. Accordingly, the patients receive better care, which leads to the improvement of their well-being state.

The first step in considering spirituality in healthcare services is to accurately define the concept and differentiate it from religiosity since the literature bears few clear and transparent definitions and differentiations in this regard (3). The therapists have to manage different cases with their judgment when there are no definite criteria in this respect.

Although the abstractness of spirituality concept can pose a challenge in defining and managing information in this domain and therapies may confuse to handle the related information, the possession of a conceptual and applicable definition can be accommodating¹³. The researchers have focused on the development of an instrument for assessing the spirituality in special groups of patients (14-17) or general patient (18-24); however, none of these tools have been investigated psychometrically in Iran.

With this background in mind, this study aimed to design a model for taking the patients' spiritual history. Therefore, the first task was to present a practical definition of spirituality and religion,

Table 1. The search strategy for advanced reviewing the literature

(interview*[tiab] OR "Interview" [Publication Type] OR "Interviews as Topic"[Mesh] OR "Interview, Psychological"[Mesh] OR)

AND

(guide*[tiab] OR "Practice Guideline" [Publication Type] OR "Health Planning Guidelines"[Mesh] OR "Guidelines as Topic"[Mesh] OR "Guideline" [Publication Type])

AND

(patient*[tiab] OR client*[tiab] OR "Patients"[Mesh] OR "Survivors"[Mesh])

AND

(spiritual*[tiab] OR Psycholog**[tiab] OR "Spirituality"[Mesh])

All the available tools were in form of questionnaires with open-ended questions. We used four tools used for taking spiritual history, namely Beliefs, Explanation, Learn, Impact, Empathy, Feelings (BELIEF), Faith, Importance, Community Address (FICA), Hope Organizational Personal Effects (HOPE), and Spiritual Personal Integration Ritualized Implications Terminal (SPIRIT) (21-24). These tools were employed to be compared with our conceptual framework (Table 2). After the implementation of multiple revisions and the

removal of duplicate questions, an item pool with 33 questions (out of 84 items) was generated.

Ethical Considerations

The principles of ethics and integrity in the research, citation, and literature analysis were taken into consideration.

Materials and Methods

This qualitative study was carried out in three phases. In the first phase, an expert panel was gathered that consisted of six experts (i.e., two psychiatrists, one educational science expert, one philosophy researcher, and two psychologists), two patient representatives, and a project director (community medicine specialist). An expert panel is the best option for the investigation of a new subject with multiple dimensions (25). The expert panel discussed the issues related to the development of the framework of spirituality and spiritual history form.

The second phase involved an advanced literature review on the national and international documents (26-34). After obtaining a consensus about the spirituality definition in the interdisciplinary team, the practical framework of this subject in the health system was presented. Subsequently, an advanced literature review was performed to find the appropriate tools for taking a patient's spiritual history (Table 1).

In the third phase, the Delphi method was performed in two rounds. In the first round, the questions were validated by 11 experts, including a psychiatrist, two social medicine experts, a social researcher, two psychologists, an epidemiologist, a pain fellowship practitioner, a sociologist, and two representatives of patients. The relevance, clarity, and simplicity of each item were assessed for determining the content validity index (CVI) (35). Furthermore, the

necessity was estimated for determining the content validity ratio (CVR) (36). This phase resulted in the inclusion of 22 questions.

Based on the experts' recommendations, in the first round of the Delphi method, the questions were classified into general (i.e., for all patients) and selective (i.e., for those who require profound inspection) categories to increase the administrative

capacity of the interview questions to all healthcare fields, even under severe and emergencies. Subsequently, the classified questions were sent for the second round of the Delphi method. Based on the results of this round, 16 questions were finalized by obtaining the feedbacks and consensus of 10 experts.

Table 2. The selected tools for this study from the literature

Instrument Name	Standing for	Date of Introduction	Designer(s)	Comments
SPIRIT	Spiritual belief system Personal spirituality Integration with a spiritual community Ritualized practices and restrictions Implications for medical care Terminal events planning	1996	Maugans	This mnemonic instrument is for the healthcare providers to take the patients' spiritual history, including general and specific issues, based on their desires.
FICA	Faith or beliefs Importance and Influence Community Address	2000	Puchalski & Romer	This instrument discusses the patients' religion and spirituality in the treatment and healing process and helps the healthcare providers to use it in improving the patients' physical well-being. This is an educational-clinical instrument for deriving out the spiritual beliefs of the patients. The healthcare providers can use it to gain more understanding of the influence of the patients' beliefs on their treatment.
BELIEF	Beliefs Explanation Learn Impact Empathy Feelings	2000	Dobbie, Medrano, Tysinger & Olney	This is a flexible and easy-to-use instrument for evaluating spirituality and helping healthcare providers to enter the relevant discussions with their patients. This instrument can give them self-awareness on how spirituality can influence treatment and care.
HOPE	H: Sources of hope, meaning, comfort, strength, peace, love, and connection O: Role of organizational religion P: Personal spirituality/practices E: Effects on medical care/ end-of-life issues	2001	Anandarajah & Hight	

Findings

Spirituality as a concept

In this study, spirituality was defined as ‘the beliefs and behaviors, which describe the belonging and connectedness to God, who is the Lord of the world’. The main foundation of spirituality is monotheism (37). Therefore, spirituality is more than having faith in a religion or religiosity. Religion is a belief system composed of organized acts and behaviors, which supposedly help people to achieve more understanding in their spirituality. In this sense, spirituality created based on faith in God and an atheistic belief system can lead to the following changes and outcomes in the essence and life of a human being:

- Having a meaningful world and life
- Having a sublime as a source of hope, power, and support
- Having the motivation for facing the challenges of life, sacrificial, etc.
- Having ethical instruction to act accordingly
- Experiencing an inner peace and transcendence

In addition, anything that can strengthen the relationship of a person to God, such as art and nature, can be a sign of spirituality in that person.

Questions

Out of the 84 available questions regarding spirituality in the instruments obtained from the literature, 33 items were chosen for the first round of Delphi based on their compatibility with the given definition of spirituality in this study. Based on the results of the first round, 11 questions were excluded, and 22 items were kept according to their validity index. The remaining questions were divided into two categories. The first category had a CVR of $\geq 75\%$ and a CVI of $\geq 90\%$; on the other hand, the second category had a CVI of $> 90\%$ and a CVR less than that of the first category.

After performing the second round of Delphi and achieving consensus, 16 questions were selected for the two categories (tables 3 and 4). In this regard, 2, 4, 7, and 3 questions were selected from BELIEF, FICA, HOPE, and SPIRIT tools, respectively. The first category of the questions (Table 3) was concerned about the beliefs, ethics, values, behaviors, and experiences related to spirituality.

The therapist can use these questions to derive the required spiritual information concisely and beneficially. Most of these questions indirectly

discreetly investigate different aspects of spirituality.

Table 3. The first category of questions in this model

- 1- In case of hardships to whom or what do you rely?
- 2- What gives you hope, peace, and comfort in your life?
- 3- What gives purpose and meaning to your life?
- 4- If you take believing in God as a principle of spirituality, do you consider yourself spiritual?
- 5- For some people believing in God is the main source of hope and comfort in dealing with life’s ups and downs. Is this true of you?
- 6- What effect have your spiritual beliefs had on your morale during the illness?
- 7- What role do you think your spiritual beliefs will have in regaining your health and well-being?
- 8- Usually which religious acts give you peace and comfort (e.g. saying prayers, praying, reading from the Holy Quran, going to holy places, etc.)?
- 9- Is there any medical care that should be considered forbidden, taboo, or abhorrent according to your beliefs?

The second category of the questions (Table 4) was developed based on the spiritual needs of the patients at the healthcare centers to reveal the condition, based on which the therapist can improve his/her relationship with the patient. It is hoped that the fulfillment of these needs may restore the patients’ spiritual peace and comfort to accelerate the treatment process.

Table 4. The second category of questions in this model

- 1- According to your beliefs, are there any special points in my relationship with you as your therapist which I should have in mind?
- 2- Is there any compatibility between your beliefs and the treatment method used to treat you? (Have there been any problems in this case?)
- 3- Is there anything you want to talk about regarding your beliefs or treatment?
- 4- Are there any specific conditions that I should know about while treating you (e.g. special nutrition regimes, using blood products, etc.)?
- 5- How would you like me or my other colleagues to consider your spiritual beliefs in the treatment process?
- 6- What would you like me to provide you for your spiritual peace and comfort (e.g. a Holy Quran, a special place for prayers, etc.)?
- 7- Do you need to be introduced to someone with spiritual expertise?

Conclusions

The inclusion of spirituality in the healthcare process requires the achievement of a mutual understanding of this concept (26). Many researchers have tried to distinguish between spirituality and religiosity by giving a thorough and universal definition of spirituality, which can

include theist and atheist perspectives (38). However, in this study, the concept of spirituality was considered from a theist point of view. Therefore, the definition of this concept in the present study included the characteristic of transcendence in addition to the three characteristics of cognitive, experiential, and behavioral specified in the other studies (24).

This characteristic was considered to be the most sublime and special spiritual experience of a person, which would most probably provide the person with a more firm stance regarding enduring pain and facing death. This interpretation of spirituality is pretty distinct from those stated by others, such as those adopted in the culturally relevant interviewing instruments (e.g., BELIEF) (23).

In the majority of the formal instruments (24), the questions are developed under four domains. The domain of spiritual values and beliefs includes one or a few general questions. In addition, the person's membership in religious communities (i.e., supportive religious organizations) is inquired in these tools to find out how much she/he is affected by the beliefs and rituals. These instruments also elicit the patient's specific religious restrictions, customs, and practices, which should be considered by the therapist during the process of treatment.

These marginal and precise questions in some tools, such as HOPE, provide the basis for a better interaction between the patient and therapist, which arouses the sense of self-respect and worthiness in the patient and allows the therapist to use spiritual factors for the facilitation of better patient recovery.

All of the mentioned tools are intended to cover some of the discussed issues. However, the developed questions should be consistent with each society's special cultural and religious factors. One of the most important advantages of the tool developed in this study is its categorization (i.e., categorizing the questions in two sections). This highlighted the dynamicity of patients' spirituality, which is affected by mental, physical, and environmental conditions. This point has been mentioned as the advantage of these tools in the literature¹⁰.

The first set of questions provides the therapist with an opportunity to learn about the patient's spiritual issues. The second set can be used to gain knowledge on how to apply spiritual knowledge in the clinical work if the patient is ready for more inspection. It has been noted that in the first stage,

the interview should be focused on the indirect investigation of the patients' faith and beliefs so that the patient may give information with the least resistance. This stage might take 5-10 min. The next stage can be undertaken if the patient is ready for it, has a stable condition, and has not shown much resistance in giving information in the first stage.

Taking a patient's spiritual history (in short form or deep interview) is very similar to taking his/her medical history, which can be performed by the therapist based on the conditions and the patient's expedient. Moreover, this structural framework establishes the opportunity to follow up a patient's spiritual improvement or deterioration during the treatment process. The most significant aspect of this tool is probably its locally-based nature and non-inclusion of the religion-based spiritual indicators.

Therefore, this instrument can be used as a flexible and adaptable tool in other social, cultural, and ideological perspectives adopted by other societies. In addition, since this tool has been developed by experts of different fields who work in the context of spiritual and physical well-being, it is considered a comprehensive interdisciplinary research instrument. The experts' consensus on the establishment of a common language to derive the patients' spiritual information has provided the optimum ground for achieving face and content validities for such a tool.

Some institutes and research centers are working on this subject in Iran (26,38). Regarding this, it seems necessary to have a sound framework for taking patients' spiritual history that has been developed by Muslim researchers. The assessment of the spiritual situation can promote the health services system. To the best of our knowledge, this tool is the first locally-based developed instrument for deriving out the patients' spiritual history in Iran.

By the establishment of a closer relationship between the patient and therapist, it is hoped that the application of this model would improve the patients' quality of life and accelerate their recovery process (10). The therapists are supposedly one of the few groups with whom the people tend to share their issues and pains. Nevertheless, the therapist must avoid having any prejudice toward the patient and respect him, and gain the patient's information for a better healthcare service.

The only limitation of this study was that some experts refused to cooperate in giving feedback or provided it with long delays, which resulted in the elongation of the research process. In the present study, all effort was given to meet the essentials of an appropriate framework for taking patients' spiritual history. However, the integration of the model into the healthcare setting would be the main challenge in this domain. The reliability of this model can be assessed based on the feedback received from questionnaires and theme analysis of the responses.

The Islamic spiritual history-taking instrument is the first locally-based tool that can be used by Muslim healthcare providers. This tool comprehensively assesses the central role that spirituality and religion play among the patients. Taking spiritual history can establish a more intimate relationship between the patient and health providers. Therefore, it is hoped that the utilization of such an Islamic model would improve the patients' quality of life. Given the unique nature of the tool, future studies are needed to test this instrument in patients, especially among those affiliated with Muslim traditions.

Acknowledgements

We thank the head and members of the social health determinants department of the National Institute of Health Research, Ali Montazeri, Hami Gheiyasi, and the other experts for the encouraging support and valuable comments. This study was supported I.R.Iran's National Institute of Health Research, Tehran University of Medical Sciences. Contract No: 241/M/91124.

Conflict of Interest Statement

The author declares that they have no conflicts of interest.

References

- Mueller PS, Plevak DJ, Rummans TA, editors. Religious involvement, spirituality, and medicine: implications for clinical practice. Mayo clinic proceedings; 2001: Elsevier.
- Nodoushan RJ, Alimoradi H, Nazari M. Spiritual health and stress in pregnant women during the Covid-19 pandemic. SN comprehensive clinical medicine. 2020 Dec;2(12):2528-34.
- Puchalski C. Spiritual Care in Health Care: Guideline, Models, Spiritual Assessment and the Use of the© FICA Spiritual History Tool. In: Spiritual Needs in Research and Practice 2021 (pp. 27-45). Palgrave Macmillan, Cham.
- Mehrabi M, Memaryan N, Mohaghegh N, Abbasi M. The Spirituality Integration in Iranian Health Education: Best Lessons for Development. Bioethics and Health Law Journal (BHL). 2017;1(2):55-61.
- Abbasi M, Petoft A. Citizenship rights, from Principles to social Platform. Tehran: Legal Publishers. 2017:85.
- Abassi M, Petoft A. Fundamentals of Neurolaw. Tehran: Medical Ethics and Law Research Center, Shahid Beheshti University of Medical Sciences. 2019.
- Ehman JW, Ott BB, Short TH, Ciampa RC, Hansen-Flaschen J. Do patients want physicians to inquire about their spiritual or religious beliefs if they become gravely ill? Archives of Internal Medicine. 1999;159(15):1803-6.
- Jawaid H. Assessing Perception of Patients and Physicians Regarding Spirituality in Karachi, Pakistan: A Pilot Study. The Permanente Journal. 2020;24.
- LaRocca-Pitts M. In FACT, chaplains have a spiritual assessment tool. Australian Journal of Pastoral Care and Health. 2009;3(2):8-15.
- D'Souza R. The importance of spirituality in medicine and its application to clinical practice. Medical Journal of Australia. 2007;186(10):S57.
- Kelly EP, Paredes AZ, Tsilimigras DI, Hyer JM, Pawlik TM. The role of religion and spirituality in cancer care: An umbrella review of the literature. Surgical Oncology. 2020 May 22.
- Petoft A. The Validation Requirements of Neurscientific Evidences before Courts. Iranian Journal of Medical Law. 2021 Apr 10;15(56):431-43.
- Abasi M. Petoft A, Citizenship Rights: from the Government Protection to Monitoring on it. Tehran: Justice Publication. 2017:59
- Büssing A, Balzat H, Heusser P. Spiritual needs of patients with chronic pain diseases and cancer-validation of the spiritual needs questionnaire. European journal of medical research. 2010;15(6):266.
- Merath K, Kelly EP, Hyer JM, Mehta R, Agne JL, Deans K, Fischer BA, Pawlik TM. Patient perceptions about the role of religion and spirituality during cancer care. Journal of religion and health. 2020 Aug;59(4):1933-45.
- Frick E, Riedner C, Fegg M, Hauf S, Borasio G. A clinical interview assessing cancer patients' spiritual needs and preferences. European Journal of Cancer Care. 2006;15(3):238-43.
- Hinshaw DB. The spiritual needs of the dying patient. Journal of the American College of Surgeons. 2002;195(4):565-8.
- Galek K, Flannelly KJ, Vane A, Galek RM. Assessing a patient's spiritual needs: a comprehensive instrument. Holistic Nursing Practice. 2005;19(2):62-9.
- Giannoulis K, Giannouli V. Religious beliefs, self-esteem, anxiety, and depression among Greek Orthodox elders. Journal of Anthropological Researches and Studies. 2020 Jul 11.

20. Narayanasamy A. The puzzle of spirituality for nursing: A guide to practical assessment. *British journal of nursing*. 2004;13(19):1140-4.
21. Maugans TA. The spiritual history. *Archives of Family Medicine*. 1996;5(1):11-6.
22. Kao LE, Peteet JR, Cook CC. Spirituality and mental health. *Journal for the Study of Spirituality*. 2020 Jan 2;10(1):42-54.
23. Petoft A, Momeni-Rad A. Toward Human Behavior Sciences from the Perspective of Neurolaw. *International Journal of Public Mental Health and Neuroscience*. 2015;2(2):29-33.
24. Abbasi M, Petoft A, A historical overview of law and neuroscience: From the emergence of medico-legal discourses to developed neurolaw. *Archivio Penale*. 2019;1(3):1-48.
25. Petoft A. Concept and scope of the general principles of administrative law and referring possibility in the judicial procedure. *The Judiciary Research Institute Publishing Center*. 2016.
26. Damari B. *Spiritual health*. Tehran: Teb va Jameh Publications; 2009.
27. Abbasi M, Shamsi Gooshki E, Naseri Rad M, Akbari Lakeh M. Conceptual Definition and Operationalization of Spiritual Health: A Methodological Study. *Medical Ethics Journal*. 2008;6(20):11.
28. Heintzman P. Empirical research on leisure and spiritual well-being: conceptualisation, measurement and findings. *Leisure Studies*. 2020 Jan 2;39(1):146-55.
29. Ghobari-Bonab B H-KA. Feeling attached to God in an Islamic context: the basics, construction and validation of measuring tools. *Journal of Psychological Models and Methods*. 2011;4:81-106
30. Puchalski C, Ferrell B. *Making health care whole: Integrating spirituality into patient care*: Templeton Foundation Press; 2011.
31. Jawaid H. Assessing Perception of Patients and Physicians Regarding Spirituality in Karachi, Pakistan: A Pilot Study. *The Permanente Journal*. 2020;24.
32. Puchalski C, Ferrell B, Virani R, Otis-Green S, Baird P, Bull J, et al. Improving the quality of spiritual care as a dimension of palliative care: the report of the Consensus Conference. *Journal of palliative medicine*. 2009;12(10):885-904.
33. Puchalski CM, Larson DB. Developing curricula in spirituality and medicine. *Academic Medicine*. 1998;73(9):970-4.
34. Abbasi M, Petoft A, Current limits of neurolaw: A brief overview. *Médecine & Droit*. 2020 Apr 1;2020(161):29-34.
35. Petoft A. An Overview of the Technical Limitations of Applying the fMRI Method in Neurolaw. *Bioethics Journal*. 2019;9(34):95-107.
36. Petoft A. Neurolaw: A brief introduction. *Iranian journal of neurology*. 2015 Jan 5;14(1):53.
37. Petoft A. The Use of Neuroscientific Evidence in the Modern Criminal Law with Emphasizing on the UK and Canadian Neurolitigation. *Iranian Journal of Medical Law*. 2021 Apr 10;15(56):241-59.
38. Ngah A, Garbarre S, Jeevan J, Salleh N, Hanafiah R. To pay or not to pay: Measuring the effect of religiosity in the ABC theory. *Management Science Letters*. 2021;11(3):795-806.

